

DEVELOP

Dynamic balance

www.develop.eu



Want to make it
your
own device?

OFFICE PRODUCTS



Choose DEVELOP

Every industry faces different challenges. Every business has different needs. Yours is no exception. At DEVELOP we are focused on meeting your specific document production and management demands – no matter whether you're a start-up, small business or mid-sized company. We do this by providing multifunctional office devices that can be customised to your specific requirements. Discover the benefits you enjoy with DEVELOP.

Wouldn't it be great to enjoy optimal **ease of use**?

We offer you solutions that adapt to your daily working habits and save a lot of time in routine office tasks like printing, scanning or copying. You can customise the individual screen features, specific functions and workflows to be activated via your ineo device's display. Frequently used functions can be placed on your start screen while functions you don't use can simply be removed.

Ever dreamed of using a personally **customised device**?

You can now make your ineo device a true part of your business. Start with your own company logo, display a Flash video when the display is idle, customise your user interface on the screen, and have your business-relevant apps accessed straight from the operating panel.

Useful apps, remote app updates, connectors to cloud solutions such as Google Drive or Google Mail, paper templates – just about everything you need to improve your business processes is available from DEVELOP's dstore.

www.dstore.develop.eu

Want to enjoy more **mobility** at work?

More and more businesses are transforming their offices into mobile workplaces. Employees enjoy the flexibility of working where they want, yet still need to stay connected. DEVELOP makes printing from a mobile device even easier and more intuitive than from a PC. You don't even need to download external apps or install a specific printer driver – our mobile features integrate seamlessly with innovative mobile technologies to let you print from your tablet or smartphone with just one click. Our security functionality ensures your data are safe, and on most ineo devices, access to safety features like secure print, user authentication and account tracking comes with the free app ineoPRINT.

ineoPRINT

The free ineoPRINT app connects iOS or Android devices to ineo systems, for intuitive printing and scanning.

With ineoPRINT, documents can be printed from, or scanned to the main cloud storage platforms, bringing the documents to your hand anytime you need them.

Download the free ineoPRINT app directly from the AppStore or Google Play Store.





Wouldn't you like to optimise your **workflow integration**?

It's easier than you might think. Our devices can easily be integrated into any existing network and help to optimise document workflows – with integrated device functionalities or professional solutions working hand in hand with our systems, e.g. the DEVELOP apps convert+share and store+find. Besides, DEVELOP offers remote monitoring of your printer fleet and helps reduce inefficiency in fleet management. Why not let our know-how optimise your workflow processes!

Still worrying about **data security**?

In today's business environment company data have to cross a lot of different data highways, and much of your corporate data runs through your multifunctional system(s). DEVELOP ensures your data stay safe and no document ends up in the wrong hands. Thanks to the Common Criteria/ISO 15408 IEEE 2600.1 certification, access control, data security and network encryption you can be sure your data stay where they belong – in the right hands!

www.dstore.develop.eu

DEVELOP's software solutions replace time-consuming manual operations with automated processes:

convert+share

Scan a document in various file formats, then send the file straight to whatever destination you want, e.g. Google Drive, Evernote or Microsoft SharePoint.

store+find

Locate any document easily and quickly via a keyword or full-text search facility. Store documents in a very wide range of file formats. And simply add electronic documents to store+find, or import them direct from MS Office.

ineo connector apps

Three custom-developed apps connect ineo office systems to the most popular cloud services Google Apps™, Evernote™ and Microsoft SharePoint™. These apps support the mobility and flexibility demanded in modern-day offices.



ineo Navigator

Want a quick overview of the different functions of your ineo system(s)? Join the free online learning platform ineoNavigator and get to know your ineo device(s) fast. Printing, scanning, copying and faxing – the usage explanations are clearly structured and flexible.

Benefits

- > Free of charge
- > Access at any time and as long as needed
- > No dependency on hotlines
- > No external instructor required
- > No unproductive waiting time

www.ineo-navigator.develop.eu



Wouldn't **great design** liven up your office?

DEVELOP systems not only make an impression with their high quality and reliability, but also their cool design. There is bound to be high spirits in your office! Whether you choose one of the fashionable designs that are ready to make your office even more attractive, or if you create your own ineo decor that perfectly matches to your environment. Contact your DEVELOP partner and discover the ineo decors.

Know the benefits **green efficiency** brings your business?

Our planet's survival depends on how we care for the environment today. As a company we are proud of our ISO 14001 environmental certification and production facilities that work to the zero-waste principle. But even more importantly for you, all our office devices are environment-friendly, e.g. with recyclable components and energy-saving features to reduce power consumption. ENERGY STAR and Blue Angel awards are proof of their environmental friendliness. And that means a better carbon footprint for your business and money saved through lower electricity bills.

Keen to **cut costs**?

Ease of use, customisation, green efficiency, optimised document processes: what do all these benefits have in common? They save your staff time and effort, and your business money. To cut your document production and management costs all you have to do is invest in a DEVELOP device.




> ENERGY STAR

As part of an energy-saving programme for office equipment, products that meet specific standards can be registered as ENERGY STAR devices. In particular, the devices power down when not in use to save electricity. All new DEVELOP devices are ENERGY STAR-qualified.



> Blue Angel

Since 1978, the Blue Angel seal has been awarded to environment-friendly products. Blue Angel evaluates a product's energy consumption, noise emissions and recyclability. Since energy consumption is directly related to CO₂ emissions, a crucial greenhouse gas, Blue Angel devices are helping to reduce CO₂ emissions. DEVELOP has continued to receive certification for new products by clearing the certification bar each time it has been raised.



DEVELOP

Dynamic balance


www.develop.eu




ineo 758



- > Black & white
A3 multifunctional
- > Up to 75 ppm



Finishing functionalities



ineo 758

A3 multifunctional with 75 ppm b/w. Standard ineo controller with PCL 6, PCL 5, PostScript 3, PDF 1.7, XPS and OOXML support. Paper capacity of 500 + 500 + 1,000 + 1,500 sheets and 150-sheet manual bypass. Media from A6 to SRA3, 1.2 m banner and 52–300 g/m². 4 GB memory, 250 GB hard disk and Gigabit Ethernet standard.

| | |
|--|--|
| LU-205 Large capacity tray | A4–SRA3, 2,500 sheets, 52–256 g/m ² |
| LU-303 Large capacity tray | A4, 3,000 sheets, 52–256 g/m ² |
| FS-536 Staple finisher | 50-sheet stapling, 3,200 sheets max. output |
| FS-536SD Booklet finisher | 50-sheet staple finisher, 20-sheet booklet finisher, 2,200 sheets max. output |
| RU-515 Relay unit for FS-536(SD)/FS-537(SD) | For FS-536(SD)/FS-537(SD) installation |
| PK-520 Punch kit for FS-536(SD) | 2/4 hole punching, autoswitching |
| FS-537 Staple finisher | 100 sheets stapling, 3,200 sheets max. output |
| PK-523 Punch kit for FS-537(SD) | 2/4 hole punching, autoswitching |
| FS-537SD | Booklet finisher, 100-sheet staple finisher, 20-sheet booklet finisher, 2,700 sheets max. output |
| PI-507 Post inserter for FS-537(SD) | Cover insertion, post finishing |
| JS-602 Job separator for FS-537(SD) | Separation of fax output, etc. |
| ZU-609 Z-fold unit for FS-537(SD) | Z-fold for A3 prints, 2/4 hole punching |
| OT-508 Output tray | Output tray used instead of finisher |
| KP-101 10-Key pad | For use instead of touchscreen |

| | |
|-----------------------------------|--|
| WT-506 Working table | Authentication device placement |
| FK-516 Fax board | Super G3 fax, digital fax functionality |
| KH-102 Keyboard holder | To place USB keyboard |
| EK-610 USB I/F kit | USB keyboard connection |
| EK-611 USB I/F kit | USB keyboard connection, Bluetooth |
| ID card reader | Various ID card technologies |
| MK-735 Mount kit | Installation kit for ID card reader |
| AU-102 | Finger vein scanner |
| Biometric authentication | |
| SC-508 Security kit | Copy guard function |
| BT-C1e Banner tray | Multi-page banner feeding |
| LK-102v3 PDF enhancements | PDF/A, PDF encryption, digital signature |
| LK-105v4 | Searchable PDF and PPTX |
| OCR text recognition | |
| LK-106 Barcode fonts | Supports native barcode printing |
| LK-107 Unicode fonts | Supports native Unicode printing |
| LK-108 OCR A and B fonts | Supports native OCR A and B font printing |
| LK-110v2 | Generates various file formats incl. DOCX, XLSX and PDF/A |
| Document converter pack | |
| LK-111 ThinPrint® Client | Print data compression for reduced network impact |
| LK-115v2 TPM activation | Trusted Platform Module for protection of data encryption and decryption |
| SX-BR-4600 Wireless LAN | Wireless LAN to network connector |
| WT-513 Working table | Working table for upright panel |
| UK-501 | Multi-feed detector to reduce errors and paper jams |
| Double feed detection kit | |
| HD-524 Hard disk mirroring | Back-up HDD |
| UK-212 Wireless LAN | Wireless LAN and wireless LAN Access Point Mode |

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 4,096 MB |
| System hard disk | 250 GB |
| Interface | 10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g (optional) |
| Network protocols | TCP/IP (IPv4 / IPv6); NetBEUI; SMB; LPD; IPP; SNMP; HTTP |
| Frame types | Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP |
| Automatic document feeder | Up to 300 originals; A6–A3; 35–210 g/m ² ; Dual scan ADF |
| Printable paper size | A6–SRA3, customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity | Standard: 3,650 sheets Max.: 6,650 sheets |
| Tray 1 | 500 sheets, A5–SRA3, 52–256 g/m ² |
| Tray 2 | 500 sheets, A5–SRA3, 52–256 g/m ² |
| Tray 3 | 1,500 sheets, A4, 52–256 g/m ² |
| Tray 4 | 1,000 sheets, A4, 52–256 g/m ² |
| Large capacity tray LU-303 (optional) | 3,000 sheets, A4, 52–256 g/m ² |
| Large capacity tray LU-205 (optional) | 2,500 sheets, A4–SRA3, 52–256 g/m ² |
| Manual bypass | 150 sheets, A6–SRA3, custom sizes, banner, 52–300 g/m ² |
| Automatic duplexing | A5–SRA3; 52–256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet |
| Output capacity (with finisher) | Max.: 3,300 sheets |
| Output capacity (without finisher) | Max.: 250 sheets |
| Stapling | Max.: 100 sheets or 94 sheets + 2 cover sheets (up to 209 g/m ²) |
| Stapling output capacity | Max.: 1,000 sheets |
| Letter fold | Up to 3 sheets |
| Letter fold capacity | Max.: 30 sheets (tray); unlimited |

| | |
|--------------------------------------|---|
| Booklet | Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m ²) |
| Booklet output capacity | Max.: 100 sheets (tray); unlimited |
| Copy/print volume (monthly) | Rec.: 80,000 pages; Max. ⁽¹⁾ : 215,000 pages |
| Toner lifetime | 40,800 pages |
| Imaging unit lifetime | 400,000 pages/1,200,000 pages (Drum/Developer) |
| Power consumption | 220–240 V / 50/60 Hz; less than 2.1 kW (system) |
| System dimensions (W x D x H) | 670 x 820 x 1,232 mm |
| System weight | Approx. 200 kg |

COPIER SPECIFICATIONS

| | |
|----------------------------|--|
| Copying process | Electrostatic laser copy; tandem; indirect |
| Toner system | HD polymerised toner |
| Copy/print speed A4 | Up to 75 ppm |
| Copy/print speed A3 | Up to 37 ppm |
| Autoduplex speed A4 | Up to 75 ppm |
| 1st copy out time | 3.6 sec. |
| Warm-up time | Approx. 22 sec. ⁽²⁾ |
| Copy resolution | 600 x 600 dpi |
| Gradation | 256 gradations |
| Multicopy | 1–9,999 |
| Original format | A5–A3 |
| Magnification | 25–400% in 0.1% steps; auto-zooming |
| Copy functions | Chapter; cover and page insertion; proof copy (print and screen); adjustment test print; digital art functions; job setting memory; poster mode; image repeat; overlay (optional); stamping; copy protection |

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed.

² Warm up time may vary depending on the operating environment and usage

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi; 1,200 x 1,200 dpi |
| Page description language | PCL6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Operating systems | Windows Vista (32/64); Windows 7 (32/64); Windows 8 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2, Windows Server 2012; Windows Server 2012 R2; Macintosh OS X 10.x; Unix; Linux; Citrix |
| Printer fonts | 80 PCL Latin; 137 PostScript 3 Emulation Latin |
| Print functions | Direct print of PCL, PS, TIFF, XPS, PDF (v1.7), encrypted PDF files and OOXML (DOCX, XLSX, PPTX); mixmedia and mixplex; "Easy Set" job program- ming; overlay; watermark; copy protection; carbon copy print |
| Mobile Printing | AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), ineoPRINT (iOS & Android), NFC Authentication and Pairing (Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---|
| Scan speed (mono/colour) | Up to 240 ipm (mono/colour) |
| Scan resolution | Max.: 600 x 600 dpi |
| Scan modes | Scan-to-E-mail (Scan-to-Me), Scan-to-SMB (Scan-to-Home), Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan |
| File formats | JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); Compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable DOCX/XLSX (optional); searchable PPTX |
| Scan destinations | 2,100 (single + group); LDAP support |
| Scan functions | Annotation (text/time/date) for PDF; up to 400 job programs; realtime scan preview |

FAX SPECIFICATION

| | |
|-------------------------|---|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue, i-Fax, Colour i-Fax (RFC3949-C), IP-Fax |
| Fax resolution | Max.: 600 x 600 dpi (ultra-fine) |
| Fax compression | MH; MR; MMR; JBIG |
| Fax modem | Up to 33.6 Kbps |
| Fax destinations | 2,100 (single + group) |
| Fax functions | Polling; time shift; PC-Fax; receipt to confidential box; Receipt to E-mail/FTP/SMB; up to 400 job programs |

USER BOX SPECIFICATIONS

| | |
|--------------------------------|--|
| Max. storable documents | Up to 3,000 documents or 10,000 pages |
| Type of user boxes | Public; Personal (with password or authentication); Group (with authentication) |
| Type of system boxes | Secure print; Encrypted PDF print; Fax receipt; Fax polling |
| User box functionality | Reprint; Combination; Download; Sending (E-mail/FTP/SMB and fax); Copy box to box |

SYSTEM FEATURES

| | |
|-------------------|---|
| Security | ISO 15408/IEEE 2600.2 compliant (in evaluation); IP filtering and port blocking; SSL2; SSL3 and TLS1.0 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Hard disk overwrite (8 standard types); Hard disk data encryption (AES 256); Hard disk mirroring (optional); Memory data auto deletion; Confidential fax receipt; Print user data encryption; copy protection (Copy Guard, Password Copy) optional |
| Accounting | Up to 1,000 user accounts; Active Directory support (user name + password + E-mail + smb folder); User function access definition; Biometric authentication (finger vein scanner) optional; ID card authentication (ID card reader) optional |
| Software | store+find (opt.), convert+share (opt.), Personal Applications (opt.), Data Administrator (user accounts & cost centres), Card solutions (opt.), Unix/Linux support, SAP support, EveryonePrint (opt.) |



DEVELOP

Konica Minolta Business Solutions Europe GmbH
Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu

For more information regarding the ineo 758
please refer to the respective product homepage



All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m² unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply to paper of an A4 format weighing 80 g/m² unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to print. Konica Minolta reserves the right to make technical alterations.

DEVELOP and ineo are registered trademarks/product titles owned by Konica Minolta Business Solutions Europe GmbH.

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee for these products.

May 2016

