

**DEVELOP**

Dynamic balance

[www.develop.eu](http://www.develop.eu)

# ineo 287

monochrome | 28 ppm



# Simple mobile access boosts office productivity

Job centres, schools and universities, engineering firms, architect's offices, insurance companies, banks, libraries: many small to mid-sized businesses or organisations don't really need colour printing capabilities. What their users really require is a monochrome multifunctional device that is intuitively easy to use and offers simple mobile usability for the increasing number of mobile office workers.



ineo 287 with document feeder (DF-628), inner finisher (FS-533), paper feeder (PC-413) and biometric authentication kit (AU-102)

The ineo 287 multifunctional monochrome device is designed to simplify mobile printing – a must-have in today's mobile office environment. Besides, they make all kinds of routine office jobs much easier – tasks that distract workers from getting on with their 'real' job.

## Simple mobile usability

Nowadays, we are always creating documents, shooting photos or writing notes with our smartphones or tablets. The mobile printing capabilities of the ineo 287 mean it's now possible to print those documents, photos, webpages or PDF files immediately, easily and intuitively with no need to install any software and no lengthy set-up process. That saves time and enhances productivity in today's mobile lifestyle and working habits. After all, as more and more office workers use tablets or smartphones, unrestricted and uncomplicated mobile usability is a must-have for office printers. That is why these ineo devices are equipped for near field communication (NFC), which means that smartphone or tablet users can enjoy the convenience of mobile or cloud printing straight from iOS and Android devices or via Google Cloud Print (optional) and WiFi Direct (optional).



### Individualised operating panels

One feature of the ineo multifunctional device, the customisable operating panel, is particularly useful in multiple user environments where they serve as workgroup, team or departmental printers. Every single user can choose the specific features and functions they need to create an individualised operating panel. Moreover, various apps can be downloaded via the operating panel to provide an added degree of customisation. Users benefit from instant access to frequently used functions and time saved on routine office tasks. In addition, DEVELOP's enhanced technology allows the user interface or entire applications to be completely customised, e.g. to position a corporate message, company logo or supportive information directly on the user panel.



**ineo 287 –**  
**The art of mobile printing.**

ineo 287 with document feeder (DF-628), job separator (FS-533), paper feeder (PC-113) and 10-key pad (KP-101)

# Broad functionality – **easy usability**

The ineo 287 comes with a wide range of standard or optional functions.

## **Mobile device support**

---

- > The ineo 287 supports mobile and cloud printing via AirPrint (iPhones, iPods or iPad Touch), Mopria (devices running Android 4.4 or higher), Google Cloud Print (optional), WiFi Direct (optional) and NFC authentication. So documents, photos, web pages or PDFs can be printed straight from an iOS or Android smartphone or tablet via a WLAN network. Mobile office workers can also register the ineo device on their Google account and print from any location – provided their smartphone or tablet has an internet connection.

## **Smart solutions to optimise workflows**

---

- > DEVELOP's software solutions automate time-consuming manual operations. With convert+share, for example, documents can be scanned in various file formats and then sent straight to the required destination, e.g. Google Docs, Evernote or Microsoft SharePoint. And store+find helps any document to be located easily and quickly – via a keyword or full-text search facility.

## **Razor-sharp printouts**

---

- > The print engine and innovative HD toner are finely tuned to deliver razor-sharp printouts and easily readable small type.

## **Economical environment-friendliness**

---

- > Low energy consumption, economical running costs and an intelligent environmental concept have earned the ineo 287 eco-certificates such as Energy Star. This kind of environment friendliness also makes economical sense.



## Clearly structured touchscreen

- › Thanks to a clear structure and functions such as flick, drag&drop and pinch in&out, the tiltable 7-inch colour screen on the ineo device is as simple to use as a smartphone or tablet. What's more, the operating panel can be customised for enhanced ease of use.

## Simplified remote administration

- › The system can be administered via any web browser from a desktop computer. Instant servicing is possible thanks to the display's remote operating function. What's more, the machine's operating panel can be mirrored on an Android tablet via a dedicated app. Then, for example, a user can choose the settings for a print job even though the printer is somewhere else in the building. ineo Remote Care allows the system's status to be monitored by your DEVELOP dealer. That way, he will be automatically notified when toner is running low to ensure you never run out of toner and save you time and effort. Besides, the system is always up and running – just as it should be.

## Choice of authentication solutions

- › Secure access to the system is ensured through various means of authentication: passwords, finger-vein scanning, contactless smart cards or embedded NFC authentication. These devices' NFC capability means a mobile device can even be used instead of an authentication card.

## Confidence-building data security

- › DEVELOP makes sure that mobile devices can be securely used on an office environment. While protecting a company's network is one key aspect, ensuring the confidentiality of printouts sent from mobile devices is also important. With access to secure printing, user authentication and account tracking functions ensured in the ineo 287, users can work securely from both mobile and fixed locations. Security features such as IPsec, S/MIME e-mail encryption and IP filtering ensure every form of system communication or document transfer is secure. All data stored on the system's hard disk are protected from unauthorised access by data encryption technology and, if required, data erasure. Reassuring security in line with international standards such as ISO 15408/IEEE 2600.1 – for your peace of mind!





# Economical and energy-efficient concept

Invest in any device from the ineo series and you'll benefit from a familiarity that comes from shared features and functions as well as their economical energy efficiency.

## Shared features and functions

Whichever ineo multifunctional office device you choose from DEVELOP's colour or black-and-white line-ups, you'll find common features and functions that ensure users feel instantly familiar when operating any system. This is a particularly useful feature in a multiple-device environment. No matter which ineo device users turn to, ease of use is guaranteed. And that saves a lot of time in everyday office tasks.


## Economical energy-savers

The monochrome devices features a variety of energy-saving functions that cut power consumption. Besides saving you money, these green features are also good for the environment – and your carbon footprint.



ineo 287 with document feeder (DF-628), staple/booklet finisher (FS-534SD), paper feeder (PC-213) and mount kit for local ID card authentication device (MK-735)

# ineo 287



# ineo 287



## GENERAL DATA

### Printing and copying speed

- > A4: max. 28 ppm
- > A3: max. 14 ppm

### Print system

Laser

### Gradation

256

### Paper feeder

- > Standard: 1,110 sheets, max. 3,600 sheets
  - > 500-sheet universal cassette (A5-A4, 60-220 g/m<sup>2</sup>)
  - > 500-sheet universal cassette (A5-A3, 60-220 g/m<sup>2</sup>)
  - > 500-sheet universal cassette (optional) (A5-A3, 60-220 g/m<sup>2</sup>)
  - > 2 x 500-sheet universal cassette (optional) (A5-A3, 60-220 g/m<sup>2</sup>)
  - > 2,500-sheet large capacity cassette (optional) (A4, 60-220 g/m<sup>2</sup>)
  - > 100-sheet bypass (A5-A3, custom sizes, 60-220 g/m<sup>2</sup>) for standard paper, envelopes, OHP, labels, thick paper
- Width: 90 to 297 mm x Length: 431.8 mm

### Paper format

A6-A3, customised paper sizes

### Printable area

A5-A3, A6S, thick paper; width: 90-297 mm  
length: 139.7-297 mm

### Warm-up time

Approx. 20 seconds

### Dimensions (w x d x h)

585 x 660 x 735 mm (without options)

### Weight

Approx. 56.5 kg (without options)

### Power

220-240 V, 50/60 Hz; less than 1.5 kW

## PRINTER SPECIFICATIONS

### Controller

Embedded controller with 1.2 GHz  
(SoC architecture)

### Memory

System memory standard 2,048 MB,  
System hard disk standard 250 GB

### Resolution

1,800 x 600 dpi

### Network protocols

TCP/IP (IPv4/IPv6), FTP, SMB; SMTP, WebDAV

### Emulation

PCL6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS

### Interfaces

Ethernet 10 BaseT/100 BaseT/1000 BaseT, USB 2.0,  
Wi-Fi 802.11b/g/n (optional)

### Driver

Windows Vista/7/8/8.1 (32/64),  
Windows Server 2003/2003R2/2008/2008R2 (32/64),  
Windows Server 2012/2012 R2 (64),  
Macintosh OS X 10.x, Unix, Linux, Citrix

### Print functions

Direct print of PCL, PS, TIFF, XPS, PDF, encrypted  
PDF files and OOXML (DOCX, XLSX, PPTX); mix-  
media and mixplex; "Easy Set" job programming;  
overlay; watermark; carbon copy print

### Mobile printing

AirPrint (iOS); Mopria (Android); Google Cloud  
Print (optional); WiFi Direct (optional); ineo PRINT  
(iOS & Android); PageScope Mobile (iOS & Android);  
NFC Authentication and Pairing (Android)

## SCAN SPECIFICATIONS

### Type of scanning

Scan-to-E-mail/FTP/Box (HDD)/PC (SMB)/  
WebDAV/Me/Home/USB/DPWS, Network TWAIN

### Resolution

Max. 600 x 600 dpi

### Scanning speed

Max. 45 opm (colour/black & white)

### Size of originals

Max. A3

### Scanning formats

TIFF, PDF, Compact PDF, JPEG, XPS, compact XPS,  
pptx, docx, xlsx, searchable PDF, PDF/A, linearised  
PDF

## COPY SPECIFICATIONS

### Document feeder (optional)

Up to 100 originals; A6-A3

### Copy pre-selection

1 - 9,999

### Zoom

25-400 % in 0.1 % steps, auto-zooming

### First A4 copy

5.3 seconds

### Memory

2 GB RAM

### HDD

250 GB

### Resolution

600 x 600 dpi

### Copier functions

Chapter, cover and page insertion; proof copy  
(print/screen); adjustment test print; digital art  
functions; job setting memory; poster mode; image  
repeat; overlay (opt.); stamping

## FAX SPECIFICATIONS (OPTIONAL)

### Compatibility

G3/Super G3, MH, MR, MMR, J-BIG/ECM, IPFax  
(iFax standard)

### Transfer rate/transfer speed

33.6 kBits/s, < 3 sec. ITU-No. 1

### Fax memory

Uses system memory

### Fax functions

Polling, time shift, PC-Fax, Receipt to  
confidential box, Receipt to E-mail/FTP/SMB,  
up to 400 job programs

## OPTIONS

- > Duplex document feeder (100 sheets)
- > Original cover
- > Inner finisher with 50-sheet multi-position  
stapling; stack capacity of max. 500 sheets and  
optional punch kit (2/4 hole)
- > Floortype finisher for 50-sheet stapling;  
stack capacity of max. 3,300 sheets via inner tray  
and optional punch kit (2/4-hole)
- > Floortype finisher with booklet function and  
50-sheet stapling, max. 3,300 sheets via inner  
tray capacity and optional punch kit (2/4-hole)
- > Relay Unit, 60-220 g/m<sup>2</sup>, 413 x 557 x 152 mm,  
mandatory for FS-534 and FS-534SD
- > Job separator, max 200 (150/50) sheet capacity
- > Paper feed cabinet (500 sheets)
- > Paper feed cabinet (2 x 500 sheets)
- > Large capacity tray for 2,500 sheets (A4)
- > Copy desk
- > 10-key pad
- > Working table
- > Fax unit
- > Keyboard holder
- > USB interface kit
- > USB interface kit with bluetooth LE
- > Wireless LAN
- > Biometric authentication kit
- > Miscellaneous card solutions
- > Mounting kit for card reader
- > Sender stamp kit for documents
- > i-Option (additional functions)
- > 2 GB memory upgrade kit

## SOFTWARE SOLUTIONS

- > store +find (opt.), convert+share (opt.), Personal  
Applications (opt.), Enterprise Suite (opt.),  
Data Administrator (user accounts & cost centres),  
Card solutions (opt.), Unix/Linux support,  
SAP support, EveryonePrint (opt.), PCounter (opt.)

## DEVELOP

Konica Minolta Business Solutions Europe GmbH  
Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu

# HiCOPY SZCZECIN

Dział sprzedaży:  
tel.: +48 (91) 424 15 44, +48 602 668 458  
fax: +48 (91) 312 24 70  
email: handel@developszczecin.pl

All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m<sup>2</sup> unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply to paper of an A4 format weighing 80 g/m<sup>2</sup> unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to print. Konica Minolta reserves the right to make technical alterations.

DEVELOP and ineo are registered trademarks/product titles owned by Konica Minolta Business Solutions Europe GmbH.

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee for these products.

September 2015